

National Institute of Disaster Management (Ministry of Home Affairs)

5 B, Indraprastha Estate, Ring Road, New Delhi-110002

NIDM / Printing/IITF/2013-14/28 22th October, 2013

Quotation

Dear Sir/ Madam,

Sub: Printing of NIDM Carry Bags

NIDM invites sealed quotations from empanelled printers of DAVP and Directorate of Printing (Govt of India) for printing of **NIDM Carry Bags** as per the quantity and specification given below:

S.No.	Publication	Quantity	Specification
1.	Carry Bags	1000	 ❖Size: 29 cm x 40cm ❖ Printing: Four Color both side and 4 inch in spine die
			English and Hindi. Paper quality:250 gsm white duplex
			(As per sample available)
			❖lamination : Matt lamination
			Fabrication: Fancy Threading, Brace repet and Base strips.
			Layout and design: Required, as per sample available

- Unit Cost of items must be mentioned in quotation.
- The Drum scanning, layout designing charges, if any, must be mentioned separately in the quotation.
- Taxes, if any, may be mentioned separately in the quotation.
- Printer shall provide the soft copy of the final print version of the Carry Bags along with hard copies to the institute.
- Sample of materials to be printed can be seen at NIDM library.
- The rates in the quotation should be valid for a period of one year.
- Sample paper & Print quality should be attached
- NIDM Reserves the right to reject / cancel the quotation without assigning any reason
- Quotation should be free from cutting, erasing, etc.

Quotations should be addressed to Executive Director, National Institute of Disaster Management, IIPA Campus, IP Estate, Ring Road, New Delhi-110002 and posted/couriered so as to reach the Institute on or before 31/10/2013 (before 11 A.M.) Envelope containing quotation should be superscribed as "Quotation for Carry Bags-Quotations shall be opened at 3 PM on 31/10/2013 at Institute's building. You are requested to send only one representative during opening of quotations on specified time, place and date.

1 . 0

(Harish Chander)
Administrative Officer